AUTHOR INDEX TO VOLUME 21

A

Aikens, P. A., 65, 79, 145, 185, 1007
Amran, A., 97
An, G., 279

B

Baba, T., 907
Bakshi, M. S., 615
Barber, J. L., 65, 79, 145
Bataller, H., 571
Bergfløt, L., 129
Boukalouch, M., 525, 537

C

Canova, V., 31
Carlotti, M. E., 31
Chahti, A., 525, 537
Charmas, R., 711
Chen, S., 469
Chen, W., 551
Chen, Y., 199, 449
Cheng, S., 199, 655, 857
Chibowski, S., 761
Chiu, Y. C., 327, 969

D

Derzhanski, A., 119
Dicharry, C., 571
Ding, Y., 935
Donescu, D., 559, 647, 815
Drach, M., 683
Dumas, J. P., 525, 537

E

El Kinani, A., 525

F

Farrington, G. C., 97
Feng, C. A., 969
Friberg, S. E., 1, 65, 79, 97, 145, 185, 1007
Frossard, Ph., 263
Fu, Q., 1007
Fusulan, L., 647

G

Gallarate, M., 31
Gao, Y., 279
Garti, N., 263
Gasco, M. R., 345

Gosa, K., 559, 815
Graciaa, A., 571
Gu, Q., 305
Guo, R., 1, 915, 935

H

Hall, L., 1
Hansen, S. B., 245
Hao, J., 19
Hato, M., 907
Holbrey, J. D., 185
Huang, J. F., 969

J

Jabłoński, J., 663, 739, 785
Janusz, W., 663, 739, 785
Jones, S. M., 97

K

Kallevik, H., 245
Katz, B., 97
Krupa, M., 761
Kunieda, H., 1023
Kuo, C. Y., 327
Kvalheim, O. M., 245

L

Lachaise, J., 571
Landeryou, V., 1
Lei, Q., 433
León, V., 803
Leser, M. E., 263
Li, F., 433
Li, G., 367, 409, 899, 999
Li, G.-Z., 305, 605, 633, 907
Li, Y., 305, 409, 857
Li, Z., 315, 551
Liang, H.-J., 605
Liang, W., 999
Liu, T., 935
Liu, W., 469
Lui, W., 433
Lungoci, S., 647

M

Ma, C., 409
Ma, J., 883
Mackay, R. A., 185
Mao, H., 367
Marengo, E., 345
Meng, X., 199
Minamikawa, H., 907
Moscu, S., 559, 815
Moulik, S. P., 161
Mu, J., 999
Mu, J.-H., 305, 605

N

Narkiewicz-Michałek, J., 683
Nureya, N.-N., 551
Nydén, M., 209

O

Okazaki, M., 511
Øye, G., 49, 229

P

Palla, B. J., 491
Panas, G., 711
Pattarino, F., 345
Pavel, F., 185
Petcu, C., 647
Piasecki, W., 711

R

Riekkola, M.-L., 209
Rodriguez, C., 1023
Roy, B. K., 161
Rudziński, W., 683, 711

S

Sæther, Ø., 245
Seddon, K. R., 185
Serban, S., 559, 647
Shah, D. O., 491
Shalaby, M. N., 839
Shen, J., 883
Shen, Q., 367
Shenoy, A., 589
Shigeta, K., 1023
Sjöblom, J., 49, 229, 245
Söderman, O., 209
Sprycha, R., 739
Stakkestad, G., 129
Stöcker, M., 49, 229
Su, S., 633
Sui, H., 899
Szczypa, J., 663
Szymula, M., 663, 785, 983

T

Tian, G., 433
Torres Sánchez, R. M., 957
Trotta, M., 31, 345
Tsubokawa, N., 511

V

van Oss, C. J. (book review), 365
Vauthey, S., 263
Visani, P., 263

W

Wang, C. W., 327
Wang, H., 551
Wang, Q., 199
Wang, Z., 999
Watzke, H. J., 263
Wiedmer, S. K., 209
Wu, C., 605

X

Xiang, Y., 857
Xiao, H.-D., 305
Xie, J., 199
Xu, G., 367
Xu, Z., 869
Xue, Q., 469

Y

Yan, L.-C., 633
Yang, J., 1

Yin, Q., 65, 185
Yu, C., 279

Z

Zabala, S. M., 957
Zaharescu, M., 559, 815
Zeng, H., 315
Zeng, X., 199, 449, 655, 857
Zhai, L., 367, 899
Zhang, B., 315
Zhang, W.-C., 605
Zhang, Z., 79, 469, 1007
Zhang, Z. G., 145
Zhao, Z., 883
Zheliaskova, A., 119
Zheng, L., 999
Zheng, L.-Q., 605, 907
Zou, A., 915

J. DISPERSION SCIENCE AND TECHNOLOGY, 21(7), 1047–1055 (2000)

SUBJECT INDEX TO VOLUME 21

A

Abrasive particle size, correlation with dispersion stability for chemical mechanical polishing slurries, 491–509
Aggregates
  effect of using dispersants during mixing with polymer-modified asphalts, 589–604
  surfactant, chemical reactions in, 449–467
Aggregation behavior, of nonionic glycolipid vesicles in acidic region, 907–913
Alkaline/surfactant/polymer flooding formulation selection criterion, phase behavior or interfacial tension as the basis of, 305–314
Anionic dye ECAB, interaction with micelle of Triton X-100 in aqueous solution and hemimicelle at solid/liquid interface, 279–304
Asphaltene particles, electrochemical properties in aqueous solutions, 785–802
Asphalts, polymer modified, effect of using dispersants during mixing with aggregates, 589–604
Association structures, of mixed block copolymers of different polar chain length, 79–95
Atmospheric oxidation, of vitamins C and E in the surfactant system, 983–998

B

Benzyl alcohol, effect on the micellar properties of CTAB in KBr solution, 605–613
Biological interfaces (book review), 365–366
1-Butyl-3-methylimidazolium hexafluorophosphate ionic liquid, solubilization in a surfactant-water system, 185–197

C

Cadmium(II) ions, adsorption at the electrical interfacial layer of TiO_2 (anatase)/electrolyte interface, 739–759
Carbon black, introduction of cationic groups onto surface of, 511–524

Carboxymethyl ethoxylate surfactant, use to dissolve vitamin K_1 and to obtain low interfacial tension and stable emulsion systems, 969–981
Catalase mimic, with iron(II) metallomicelle, 199–207
Cationic groups, introduction onto carbon black surface and their dispersibility in water, 511–524
Chemical mechanical polishing slurries, correlation of dispersion stability with surfactant concentration and abrasive particle size for, 491–509
China
  colloid chemistry in the petroleum industry in, 433–448
  current tertiary oil recovery in, 367–408
Clay, adsorption isotherms of commercial surfactants onto, 839–855
Colloid chemistry, in the petroleum industry in China, 433–448
Colloidal systems, phase transitions in
  calorimetric study of the phase changes in binary or ternary system of water, SDS, and pentanol, 537–550
  refractometric study of the binary system SDS + water or pentanol-1 + water and the ternary system water + SDS + pentanol-1, 525–535
Colloids, research and application as lubricants, 469–490
Conductive silicates, protonic, production by the sol-gel method, 97–117
Copper(II) complexes, of D-glucosamine Schiff base in micellar solution, accelerated cleavage of *p*-nitrophenyl picolinate catalyzed by, 857–867
Critical micelle concentration, determination using electrophoresis, 327–343
Cross-linking agents, influence on simultaneous poly(vinyl acetate)/silica networks, 559–570
Crude oil model emulsion, characterization by near-infrared spectroscopy and multivariate techniques, 245–262
Cryo-transmission electronic microscopy, application in sodium dodecylsulfonate middle phase microemulsion, 315–325
CTAB
  with *n*-butanol/25%*n*-octane/water, hydrolysis kinetics in microemulsion media, 19–30
  n-$C_5H_{11}O/H_2O$ system, hydrotrope and hydrotrope-solubilization action of urea in, 915–934
  the effect of benzyl alcohol on micellar properties in KBr solution, 605–613
  reverse microemulsion, activity of superoxide dismutase in, 899–906
Cubic phases, release of volatiles from, 263–278
Cutting-oil water emulsions, formulation using paraffinic oil and ionic/nonionic surfactant mixture, 571–588

D

Decyl polyglucoside, combined use with lecithin in microemulsions, 345–363
Diffusion coefficients, of Triton X-100/*n*-$C_6H_{13}OH/H_2O$ system, 935–955
2,4-Dinitrochlorobenzene hydrolysis, catalysis by cationic micelles, 883–897
Dioxocyclam zinc(II) complexes in micellar solution, for catalytic hydrolysis of *p*-nitrophenyl picolinate, 655–662
Dispersants, effect of use during the mixing of aggregates with polymer-modified asphalts, 589–604
Dispersion polymerization, of styrene in organic media, 869–882
Dispersion stability, correlation with surfactant concentration and abrasive particle size for chemical mechanical polishing slurries, 491–509
Dodecyl polyoxyetylene polyoxypropylene ether nonionic surfactant, interaction with polyvinylpyrrolidone in aqueous solutions, 999–1005

E

Electrical double layer, of ZrO_2-electrolyte solution interface, influence of polyelectrolyte adsorption on properties of, 761–783
Electrical interfacial layer, at the TiO_2 (anatase)/electrolyte interface, adsorption of zinc(II) and cadmium(II) ions at, 739–759
Electrochemical properties, of asphaltene particles in aqueous solutions, 785–802
Electrolyte/oxide interfaces, effects of energetic surface heterogeneity on ion adsorption at, 711–738
Electrophoresis, for determination of zeta potential of micelles and critical micelle concentration, 327–343
Emulsions
  crude oil, characterization by near-infrared spectroscopy and multivariate techniques, 245–262
  cutting-oil water, formulation using paraffinic oil and ionic/nonionic surfactant mixture, 571–588
  fragrance, stabilized by a triblock copolymer, 145–160
  oil in water with liquid crystals, saccharose esters for the preparation of, 31–48
  the use of carboxymethyl ethoxylate surfactant to obtain stability of, 969–981
Energetic surface heterogeneity, effects on ion adsorption at the electrolyte/oxide interfaces, 711–738
Enzymology, in surfactant association systems, 409–432
$EO_{4.5}PO_{59}EO_{4.5}$ triblock copolymer, vapor pressures of phenethyl alcohol in the system with water-phenethyl alcohol with, 65–78

F

Flooding systems, alkaline/surfactant/polymer, phase behavior or interfacial tension as the selection criterion for, 305–314
Forming equation, for lamellar liquid crystal, 633–646
Fragrance emulsions, stabilized by a triblock copolymer, 145–160

G

Gas sensors, for monitoring release of volatiles from cubic phases, 263–278
Gels, SiO_2-poly(vinyl acetate), in homogeneous media, 815–837
D-Glucosamine Schiff base in micellar solution, accelerated cleavage of *p*-nitrophenyl picolinate catalyzed by copper(II) and zinc(II) complexes of, 857–867
Glycolipid vesicles, nonionic, aggregation behavior in acidic region, 907–913

H

Hemimicelle, interaction with micelle of Triton X-100 in aqueous solution and anionic dye ECAB at solid/liquid interface, 279–304
Heterogeneous particle size system, unsaturated, water movement caused by spreading surfactants in, 957–968
Hexadecylpyridinium chloride, bulk and interfacial behaviors in a mixed system with Na^+ 2-hydroxy benzoate$^-$, 161–184
Homogeneous media, SiO_2-poly(vinyl acetate) gels in, 815–837
Hydrolysis
  catalytic, of *p*-nitrophenyl picolinate by dioxocyclam zinc(II) complexes in micellar solution, 655–662
  of 2,4-dinitrochlorobenzene, catalysis by cationic micelles, 883–897
Hydrotrope and hydrotrope-solubilization action, of urea in CTAB/*n*-$C_5H_{11}O/H_2O$ system, 915–934

I

Interfacial tension
  as the criterion for selecting alkaline/surfactant/polymer flooding formulation, 305–314
  low, the use of carboxymethyl ethoxylate surfactant for obtaining, 969–981
Ion adsorption, at the electrolyte/oxide interfaces, effects of energetic surface heterogeneity on, 711–738
Ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate, solubilization in a surfactant-water system, 185–197
Ionic surfactant, theoretical modeling of adsorption on mineral oxide surfaces, 683–710

Iron(II) metallomicelle, for catalase mimic, 199–207

L

Lamellar liquid crystal, the forming equation for, 633–646
Lanthanum chromite suspensions, nonaqueous, adsorption behavior and rheological properties of, 129–143
Latexes, two stage, of polystyrene acrylates, 647–653
Lecithin, combined use with decyl polyglucoside in microemulsions, 345–363
Liquid crystals
  discontinuous cubic, in poly(oxyethylene)$_n$ oleyl ether systems, solubilization of oil in, 1023–1042
  lamellar, the forming equation for, 633–646
  saccharose esters for the preparation of oil-in-water emulsions with, 31–48
Lubricants, research and application of colloids as, 469–490
Lyotropic system, mixed, phase behavior of, 119–128

M

Mesoporous molecular sieve MCM-48, titanium containing, synthesis and characterization of, 49–63, 229–243
Metal ions, adsorption on stearic acid-nonadecane particles in aqueous solutions, 663–681
Metallomicelle, iron(II), for catalase mimic, 199–207
Micellar properties, of CTAB in KBr solution, the effect of benzyl alcohol on, 605–613
Micelles
  cationic, for catalysis of hydrolysis of 2,4-dinitrochlorobenzene, 883–897
  electrophoresis for determination of zeta potential of, 327–343
  formation by anionic and cationic surfactants in aqueous 18-crown-6-ether, β-cyclodextrin, and 1,10-phenanthroline solutions at different temperatures, 615–631
  mixed, of SDS and sodium cholate, 209–227
  Triton X-100
    in aqueous solution, interaction with anionic dye ECAB and hemimicelle at solid/liquid interface, 279–304
    n-$C_6H_{13}O/H_2O$ system, diffusion coefficients and structure properties of, 935–955
Microemulsions
  combined use of lecithin and decyl polyglucoside in, 345–363
  CTAB reverse, activity of superoxide dismutase in, 899–906
  media, hydrolysis kinetics of CTAB/*n*-butanol/25%*n*-octane/water in, 19–30
  sodium dodecylsulfonate middle phase, application of cryo-transmission electronic microscopy in, 315–325

Styrene, dispersion polymerization in organic media, 869–882
Superoxide dismutase, activity in CTAB reverse microemulsion, 899–906
Surface tension, falseness of mechanical view of, 803–813
Surfactant aggregates, chemical reactions in, 449–467
Surfactant association systems, enzymology in, 409–432
Surfactants
  anionic and cationic in aqueous 18-crown-6 ether, β-cyclodextrin, and 1,10-phenanthroline solutions, micelle formation in, 615–631
  anionic and nonionic mixed system, interaction and distribution between toluene and water, 551–558
  carboxymethyl ethoxylate, use to dissolve vitamin K_1 and to obtain low interfacial tension and stable emulsion systems, 969–981
  commercial, adsorption isotherms onto clay, 839–855
  concentration, correlation with dispersion stability, 491–509
  dodecyl polyoxyetylene polyoxypropylene ether nonionic, interaction with polyvinylpyrrolidone in aqueous solutions, 999–1005
  ionic, theoretical modeling of adsorption on mineral oxide surfaces, 683–710
  ionic/nonionic mixture, for formulation of model cutting-oil water emulsions, 571–588
  polyglyceryl oleate, and the stratum corneum lipid, 1–18
  polymeric, based on oleic acid, 1007–1021
  system, atmospheric oxidation of vitamins C and E in, 983–998
  water movement caused by spreading in unsaturated systems of nonuniform particles, 957–968
Surfactant-water system, solubilization of 1-butyl-3-methylimidazolium hexafluorophosphate ionic liquid in, 185–197
Suspensions, nonaqueous lanthanum chromite, adsorption behavior and rheological properties of, 129–143

T

TiO_2 (anatase)/electrolyte interface, adsorption of zinc(II) and cadmium(II) ions at the electrical interfacial layer of, 739–759
Titanium containing mesoporous molecular sieve MCM-48, 49–63, 229–243
Triblock copolymers
  $EO_{4.5}PO_{59}EO_{4.5}$, vapor pressures of phenethyl alcohol in a system with, 65–78
  for stabilization of fragrance emulsions, 145–160
Triton X-100 micelles
  in aqueous solution, interaction with anionic dye ECAB and hemimicelle at solid/liquid interface, 279–304
  n-$C_6H_{13}OH/H_2O$ system, diffusion coefficients and structure properties of, 935–955

U

Urea, hydrotrope and hydrotrope-solubilization action, CTAB/*n*-$C_5H_{11}OH/H_2O$ system, 915–934

V

Vapor pressures, of phenethyl alcohol in the system water-phenethyl alcohol and the triblock copolymer $EO_{4.5}PO_{59}EO_{4.5}$, 65–78
Vitamin K_1, the use of carboxymethyl ethoxylate surfactant for dissolution of, 969–981
Vitamins C and E, atmospheric oxidation in the surfactant system, 983–998
Volatiles, release from cubic phases, 263–278

W

Water movement, caused by spreading surfactants in unsaturated systems of particles of nonuniform size, 957–968

Z

Zeta potential, of micelles, electrophoresis determination of, 327–343
Zinc(II)
complexes of D-glucosamine Schiff base in micellar solution, accelerated cleavage of *p*-nitrophenyl picolinate catalyzed by, 857–867
ions, adsorption at the electrical interfacial layer of TiO_2 (anatase)/electrolyte interface, 739–759
ZrO_2-electrolyte solution interface, influence of polyelectrolyte adsorption on properties of the electrical double layer of, 761–783